



Brian K. Cherry
Vice President
Regulatory Relations

Pacific Gas and Electric Company
77 Beale St., Mail Code B10C
P.O. Box 770000
San Francisco, CA 94177

Fax: 415.973.7226

July 20, 2012

Advice 3318-G/4089-E

(Pacific Gas and Electric Company ID U 39 M)

Public Utilities Commission of the State of California

Subject: New Service Update Form (#62-3531B) and renumbering of Service Report Form (#62-3531)

Purpose

Pacific Gas and Electric Company (PG&E) hereby seeks approval to utilize a new pilot program form, the "Service Update" Form (#62-3531B), which will be given to customers notifying them of work performed specifically by our meter technicians during site visits. In addition, PG&E seeks approval to update the form number of our "Service Report" form from Form # 62-3531 to Form # 62-3531A.

Background

Customers currently receive a "Service Report" form when a PG&E Field Service Representative performs work at the customer site. Our Gas Service Representatives, Electric Trouble Men, Meter Technicians, and other field representatives currently use the "Service Report" form to apprise customers of work performed at their premise in response to service requests or ongoing maintenance by PG&E.

Decision (D.) 96-04-071 was issued as the result of a high bill inquiry. In the Decision, the Commission ordered PG&E to post Form 62-3531 on the customer's premises when a meter is reread.

The Service Report Form was last modified by PG&E in Advice Letter 1996-G/1638-E (12/19/96), and was approved by the Commission on April 14, 1997. The form was part of a series of modifications to forms PG&E requested. PG&E received Commission approval to combine the "Sorry We Missed You" form (#62-3531) and the "Service Report" form (#62-0362). The combined form retained the #62-3531 designation.

Tariff Revisions

In order to improve customer service and make maintenance work more transparent to the customer, PG&E is launching a new pilot program. Our Meter Technicians and Senior Meter Readers will leave a new "Service Update" form (Form #62-3531B) behind at a customer's premise. The revised form adds a large print tagline and is more customer friendly and reflective of the work that is performed by our Meter Technicians.

In addition, PG&E seeks to re-number our current "Service Report" form from the current designation of Form #62-3531 to Form #62-3531A. At this time, the "Service Update" form will not replace the current "Service Report" Form, but will be used by our Meter Technicians and Senior Meter Readers on a trial basis while the "Service Report" Form will continue to be used by other PG&E Field Representatives. Please note that the existing stock of "Service Reports" was inadvertently reprinted with the wrong form number. The content of the notice remained unchanged but only the form number was incorrect. PG&E proposes to use up our existing stock of "Service Report" forms before reprinting new ones with the new form number.

PG&E has also made the following minor revisions to the "Service Report" form:

- Change the reference name of the Residential Energy Efficiency Information toll free line to the "Smarter Energy Line."
- Revision of the Chinese language description for the Chinese speaking Customer Service line.
- Added a large print tag line under the heading stating: "PG&E Visited Your Property Today to Service Your Account."

Depending on the initial work order, PG&E may conduct work associated with an energy cost inquiry in conjunction with other work that is performed at the customer premise. The new "Service Update" form will include a meter re-read section for energy cost inquiries that will inform customers that a PG&E Field Service Representative visited their premises and has read their meter. This language is similar to the language that is currently on the "Service Report" form that complies with D. 96-04-07.

As stated previously, the new "Service Update" form will initially be used on a pilot bases. Upon completion of the pilot, the form may be used by other PG&E customer service groups or may be modified in response to feedback that PG&E receives from customers and our field representatives. PG&E is requesting that the Commission accept a Tier 1 filing for any future revisions to the "Service Update" form.

Protests

Anyone wishing to protest this filing may do so by letter sent via U.S. mail, by facsimile or electronically, any of which must be received no later than **August 9, 2012**, which is 20 days after the date of this filing. Protests should be mailed to:

CPUC Energy Division
Tariff Files, Room 4005
DMS Branch
505 Van Ness Avenue
San Francisco, California 94102

Facsimile: (415) 703-2200
E-mail: EDTariffUnit@cpuc.ca.gov

Copies of protests also should be mailed to the attention of the Director, Energy Division, Room 4004, at the address shown above.

The protest also should be sent via U.S. mail (and by facsimile and electronically, if possible) to PG&E at the address shown below on the same date it is mailed or delivered to the Commission:

Brian K. Cherry
Vice President, Regulatory Relations
Pacific Gas and Electric Company
77 Beale Street, Mail Code B10C
P.O. Box 770000
San Francisco, California 94177

Facsimile: (415) 973-7226
E-mail: PGETariffs@pge.com

Effective Date

PG&E requests that this Tier 2 advice filing become effective on regular notice, **August 19, 2012**, which is 30 calendar days after the date of filing.

Notice

In accordance with General Order 96-B, Section IV, a copy of this advice letter is being sent electronically and via U.S. mail to parties shown on the attached list. Address changes to the General Order 96-B service list should be directed to PG&E at email address PGETariffs@pge.com. For changes to any other service list, please contact the Commission's Process Office at (415) 703-2021 or at Process_Office@cpuc.ca.gov. Send all electronic approvals to PGETariffs@pge.com. Advice letter filings can also be accessed electronically at: <http://www.pge.com/tariffs>

Brian Cherry /IG

Vice President, Regulatory Relations

Attachments

CALIFORNIA PUBLIC UTILITIES COMMISSION

ADVICE LETTER FILING SUMMARY ENERGY UTILITY

MUST BE COMPLETED BY UTILITY (Attach additional pages as needed)

Company name/CPUC Utility No. **Pacific Gas and Electric Company (ID U39 M)**

Utility type:

ELC

GAS

PLC

HEAT

WATER

Contact Person: Igor Grinberg

Phone #: 415-973-8580

E-mail: ixg8@pge.com

EXPLANATION OF UTILITY TYPE

ELC = Electric

GAS = Gas

PLC = Pipeline

HEAT = Heat

WATER = Water

(Date Filed/ Received Stamp by CPUC)

Advice Letter (AL) #: **3318-G/4089-E**

Tier: 2

Subject of AL: **New Service Update Form (#62-3531B) and renumbering of Service Report Form (#62-3531)**

Keywords (choose from CPUC listing): Forms

AL filing type: Monthly Quarterly Annual One-Time Other _____

If AL filed in compliance with a Commission order, indicate relevant Decision/Resolution #: Does AL replace a withdrawn or rejected AL? If so, identify the prior AL: No

Summarize differences between the AL and the prior withdrawn or rejected AL: N/A

Is AL requesting confidential treatment? If so, what information is the utility seeking confidential treatment for: N/A

Confidential information will be made available to those who have executed a nondisclosure agreement: N/A

Name(s) and contact information of the person(s) who will provide the nondisclosure agreement and access to the confidential information: N/A

Resolution Required? Yes No

Requested effective date: August 19, 2012

No. of tariff sheets: 6

Estimated system annual revenue effect (%): N/A

Estimated system average rate effect (%): N/A

When rates are affected by AL, include attachment in AL showing average rate effects on customer classes (residential, small commercial, large C/I, agricultural, lighting).

Tariff schedules affected: Sample Form 62-3531

Service affected and changes proposed: New Service Update Form (#62-3531B) and renumbering of Service Report Form (#62-3531)

Protests, dispositions, and all other correspondence regarding this AL are due no later than 20 days after the date of this filing, unless otherwise authorized by the Commission, and shall be sent to:

CPUC, Energy Division

Tariff Files, Room 4005

DMS Branch

505 Van Ness Ave., San Francisco, CA 94102

EDTariffUnit@cpuc.ca.gov

Pacific Gas and Electric Company

Attn: Brian K. Cherry, Vice President, Regulatory Relations

77 Beale Street, Mail Code B10C

P.O. Box 770000

San Francisco, CA 94177

E-mail: PGETariffs@pge.com

**ATTACHMENT 1
Advice 3318-G**

Cal P.U.C. Sheet No.	Title of Sheet	Cancelling Cal P.U.C. Sheet No.
29830-G	Gas Sample Form No. 62-3531 Service Report	17762-G
29831-G	GAS TABLE OF CONTENTS Sheet 1	29828-G
29832-G	GAS TABLE OF CONTENTS Sheet 13	29247-G



Gas Sample Form No. 62-3531
Service Report

**Please Refer to Attached
Sample Form**

Advice Letter No: 3318-G
Decision No. 96-04-071

Issued by
Brian K. Cherry
Vice President
Regulatory Relations

Date Filed July 20, 2012
Effective _____
Resolution No. _____



SERVICE REPORT

“EXCELLENT SERVICE IS OUR GOAL”

PG&E Visited Your Property Today to Service Your Account.
THIS IS NOT A BILL! The services marked below have been provided to you at **NO ADDITIONAL COST.**

Dear Valued Customer: _____
 Address

My name is _____ and I came by on _____ AM or PM
 PG&E Representative Date/Time

Gas Service

The following appliances have been checked for safe and efficient operation:

- Heating Appliance
- Stove/Range
- Water Heater
- Clothes Dryer
- Other: _____

Remarks: _____

Electric Service

We checked the electric service problem you have been experiencing:

- Voltage Complaint
- Partial Outage
- Complete Outage
- Other _____

The Problem:

- Is now corrected
- Is being corrected
- Is being monitored. We will notify you with our findings.
- Is no longer present at this time. If it returns, please call us at **1-800-743-5000.**

Remarks: _____

If Customer is present, please ask:

Is there anything else I can do for you, or that PG&E can follow-up on?

- No Yes _____

Customer Phone # (day) _____
 Customer Phone # (eve.) _____
 Account # _____

- Sorry we missed you.** Please call us at **1-800-743-5000** and let us know when our representative may return to complete the service call. **A responsible adult needs to be present. Thank You.**
- See the back of this form for additional service/information.**

Blue = PG&E Copy Yellow = Customer Copy

Thank you for the opportunity to serve you.



SERVICE REPORT

“EXCELLENT SERVICE IS OUR GOAL”

Please note the following marked items below.

- We placed gas/electric service into your name; the meters have been read and left on.
- If you would like your natural gas appliances checked for safe and efficient operation, please call PG&E at **1-800-743-5000**.
- We read the gas/electric meter for the Closing Bill. **The gas meter has been left on.** Please call us at **1-800-743-5000** to have service established in your name.
- We read the gas/electric meter for your billing inquiry. We will follow-up with you regarding this inquiry.

The meter readings are:


Gas _____

Electric _____

- We performed a routine test or replacement of your:
 - Electric meter (with momentary electric service interruption – we apologize for the inconvenience)
 - Gas meter (without interruption of your gas service)
 We will notify you if we find any problems.
- We had to interrupt the gas service to perform work on our facilities. Please call us at **1-800-743-5000** to have service restored. We apologize for the inconvenience.
- We did not turn the gas on because our representative was unable to enter the building to check for safe and efficient operation of your gas appliance(s).


- We turned on the electricity. However, due to your absence the main switch at your meter panel was **left off**. To obtain power, follow the instructions of the circled diagram below. **If you live in an apartment complex and can't locate your meter panel, please contact your apartment manager.**
Please note: All appliances should be placed in the “off” position before turning on the main switch.

Meter Location




Front

Disconnect Handle




Push handle to “ON”

Circuit Breaker(s)



Push lever to “ON”

Cartridge Fuses



Pull cartridge fuse holder and reinsert with “ON” position showing at the top of the cartridge

HOW TO REACH US ...

English (24 hrs./7 days)	1-800-743-5000	PG&E 欲知詳情或索取中文相關資料，請撥	1-800-893-9555
Outage Information	1-800-743-5002	Número Telefónico de Servicio al Cliente	1-800-660-6789
Smarter Energy Line	1-800-933-9555	Dịch vụ Khách Hàng Việt Nam	1-800-660-6789

SERVICE POLICY

PG&E's gas and electric service policy is limited to safety checks and minor adjustments to ensure safe and proper operation of gas and electric appliances at the time of the service call. PG&E is not authorized nor licensed to perform major repairs to appliances or inspections for home disclosure statements or property inspections. A licensed contractor can perform a complete inspection and provide a written statement of the condition of the appliance for home disclosure or property inspections.



GAS TABLE OF CONTENTS

Sheet 1

TITLE OF SHEET	CAL P.U.C. SHEET NO.	
Title Page	29831-G	(T)
Rate Schedules	29829,29825-G	
Preliminary Statements.....	29826,29619-G	
Rules	29737-G	
Maps, Contracts and Deviations.....	29288-G	
Sample Forms	29289,29738,27262,28662,29290*, 29832-G	(T)

(Continued)

Advice Letter No: 3318-G
 Decision No. 96-04-071

Issued by
Brian K. Cherry
 Vice President
 Regulatory Relations

Date Filed July 20, 2012
 Effective _____
 Resolution No. _____



GAS TABLE OF CONTENTS

Sheet 13

FORM	TITLE OF SHEET	CAL P.U.C. SHEET NO.
Sample Forms Bills and Statements		
01-6630	Energy Statement - Central Mailing.....	27664-G
61-4019	Energy Statement - Summary Mailing.....	17783-G
61-4462	Energy Statement – Special Handle.....	17538-G
61-4657	Sundry Sales Invoice.....	17539-G
62-4112	Statement of Account.....	17540-G
Sample Forms Credit Forms and Notices		
62-0401	Notice Form.....	17942-G
62-4042	Surety Bond/Bill Guarantee.....	24070-G
Sample Forms Collection Notices		
62-3799	Third Party Notification.....	22984-G
79-1025	Third Party Notification Letter - Bill Insert.....	22985-G
79-1027	Third Party Notification Letter (15-day).....	22986-G
79-1028	Third Party Notification Letter (48-hour).....	22987-G
62-4107	Unsatisfactory Check Notice.....	22990-G
79-800	Discontinuance of Service Notice - English.....	28501-G
79-858	Disputed Unpaid Closing Bill.....	22988-G
Sample Forms Operations Notices		
04-1558	Hazard Notice - Spanish.....	17754-G
04-1559	Hazard Notice - Hmong.....	17755-G
04-1560	Hazard Notice - Vietnamese.....	17756-G
04-1562	Hazard Notice - Cambodian.....	17757-G
04-1563	Hazard Notice - Chinese.....	17758-G
04-1564	Hazard Notice - Korean.....	17759-G
61-4406	Meter Reading Reminder - Postcard.....	17760-G
61-7126	Window Meter Card Reminder - Postcard.....	13063-G
62-3005	Window Meter Card - Single Meter.....	13064-G
62-3006	Window Meter Card - Two Meters.....	13065-G
62-3010	Hazard Notice - English.....	17761-G
62-3045	Notice of Planned Electric Service Interruption.....	13067-G
62-3531	Service Report.....	29830-G

(T)

Advice Letter No: 3318-G
 Decision No. 96-04-071

Issued by
Brian K. Cherry
 Vice President
 Regulatory Relations

Date Filed July 20, 2012
 Effective _____
 Resolution No. _____

**ATTACHMENT 1
Advice 4089-E**

**Cal P.U.C.
Sheet No.**

Title of Sheet

**Cancelling Cal
P.U.C. Sheet No.**

31859-E	Electric Sample Form No. 62-3531 Service Report	14271-E
31860-E	ELECTRIC TABLE OF CONTENTS Sheet 1	31857-E
31861-E	ELECTRIC TABLE OF CONTENTS SAMPLE FORMS Sheet 33	29921-E



Electric Sample Form No. 62-3531
Service Report

**Please Refer to Attached
Sample Form**

Advice Letter No: 4089-E
Decision No. 96-04-071

Issued by
Brian K. Cherry
Vice President
Regulatory Relations

Date Filed July 20, 2012
Effective _____
Resolution No. _____



SERVICE REPORT

“EXCELLENT SERVICE IS OUR GOAL”

PG&E Visited Your Property Today to Service Your Account.
THIS IS NOT A BILL! The services marked below have been provided to you at **NO ADDITIONAL COST.**

Dear Valued Customer: _____
 Address

My name is _____ and I came by on _____ AM or PM
 PG&E Representative Date/Time

Gas Service

The following appliances have been checked for safe and efficient operation:

- Heating Appliance
- Stove/Range
- Water Heater
- Clothes Dryer
- Other: _____

Remarks: _____

Electric Service

We checked the electric service problem you have been experiencing:

- Voltage Complaint
- Partial Outage
- Complete Outage
- Other _____

Remarks: _____

The Problem:

- Is now corrected
- Is being corrected
- Is being monitored. We will notify you with our findings.
- Is no longer present at this time. If it returns, please call us at **1-800-743-5000.**

If Customer is present, please ask:

Is there anything else I can do for you, or that PG&E can follow-up on?

- No Yes _____

Customer Phone # (day) _____
 Customer Phone # (eve.) _____
 Account # _____

- Sorry we missed you.** Please call us at **1-800-743-5000** and let us know when our representative may return to complete the service call. **A responsible adult needs to be present. Thank You.**
- See the back of this form for additional service/information.**

Blue = PG&E Copy Yellow = Customer Copy

Thank you for the opportunity to serve you.



SERVICE REPORT

“EXCELLENT SERVICE IS OUR GOAL”

Please note the following marked items below.

- We placed gas/electric service into your name; the meters have been read and left on.
- If you would like your natural gas appliances checked for safe and efficient operation, please call PG&E at **1-800-743-5000**.
- We read the gas/electric meter for the Closing Bill. **The gas meter has been left on.** Please call us at **1-800-743-5000** to have service established in your name.
- We read the gas/electric meter for your billing inquiry. We will follow-up with you regarding this inquiry.

The meter readings are:


Gas _____

Electric _____

- We performed a routine test or replacement of your:
 - Electric meter (with momentary electric service interruption – we apologize for the inconvenience)
 - Gas meter (without interruption of your gas service)
 We will notify you if we find any problems.
- We had to interrupt the gas service to perform work on our facilities. Please call us at **1-800-743-5000** to have service restored. We apologize for the inconvenience.
- We did not turn the gas on because our representative was unable to enter the building to check for safe and efficient operation of your gas appliance(s).


- We turned on the electricity. However, due to your absence the main switch at your meter panel was **left off**. To obtain power, follow the instructions of the circled diagram below. **If you live in an apartment complex and can't locate your meter panel, please contact your apartment manager.**
Please note: All appliances should be placed in the “off” position before turning on the main switch.

Meter Location




Front

Disconnect Handle




Push handle to “ON”

Circuit Breaker(s)



Push lever to “ON”

Cartridge Fuses



Pull cartridge fuse holder and reinsert with “ON” position showing at the top of the cartridge

HOW TO REACH US ...

English (24 hrs./7 days)	1-800-743-5000	PG&E 欲知詳情或索取中文相關資料，請撥	1-800-893-9555
Outage Information	1-800-743-5002	Número Telefónico de Servicio al Cliente	1-800-660-6789
Smarter Energy Line	1-800-933-9555	Dịch vụ Khách Hàng Việt Nam	1-800-660-6789

SERVICE POLICY

PG&E's gas and electric service policy is limited to safety checks and minor adjustments to ensure safe and proper operation of gas and electric appliances at the time of the service call. PG&E is not authorized nor licensed to perform major repairs to appliances or inspections for home disclosure statements or property inspections. A licensed contractor can perform a complete inspection and provide a written statement of the condition of the appliance for home disclosure or property inspections.



An update on your service.

Here is information about our visit to your property today.

Date: Time: AM/PM

Account Number:

We were not able to complete our work today for the following reasons:

- We did not have access to the meter(s) or other PG&E equipment. Call us at **1-800-743-5000** to schedule an appointment.
- Customer-owned equipment needs repair. See additional comments below.

Work Performed		Comments
Meter Maintenance	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Installed/Changed Meter	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Tested Meter	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Read Meter	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Inspected/Sealed Meter	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	
Service Turned <input type="checkbox"/> On <input type="checkbox"/> Off	<input type="checkbox"/> Electric <input type="checkbox"/> Gas	

See reverse side for additional details.

Our work today may have required a momentary interruption of your electric service, and you may need to reset digital clocks on your appliances and equipment. We apologize for any inconvenience this may have caused.

PG&E is proud to be your energy provider. We are dedicated to being proactive about safety and reliability. The meter at your property is safe and operating correctly.

We value your feedback. If you would like to provide feedback on today's service, please visit us at www.pge.com/FieldFeedback to complete a brief survey.

Thank you for the opportunity to serve you.

.....
Service Technician

Additional Comments:

.....

.....

.....

.....

.....


.....

[ADHESIVE APPLIED HERE]

- We turned on your electricity. However, due to your absence, the main switch at the meter panel was left in the off position. To obtain power follow the instructions below the checked box.


Note: All major electric appliances should be in the “off” position before turning on the main switch. If you live in an apartment complex and cannot locate the meter panel, please contact your apartment manager.

“X” indicates meter location



Front of Building

- Circuit Breaker(s)



Push switch to “ON”

- Fuses



Pull out and turn 180° to reposition with “ON” at the top

- Disconnect Handle



Push handle to “ON”

- The gas/electric meter was read and/or tested as part of our investigation into your billing inquiry. A PG&E representative will contact you to follow up on your inquiry.

The electric meter has been left On Off

The electric meter reading is

The gas meter has been left On Off

The gas meter reading is

If you have questions about today’s work, please contact us at:

Residential Customers 1-800-743-5000
 Agriculture Customers 1-877-311-3276
 Business/Commercial Customers 1-800-468-4743

Our Customer Service Representatives are available to assist you 24 hours a day, 7 days a week. For more information about PG&E, visit www.pge.com

Para obtener mayor información, por favor llame al 1-800-660-6789

欲知詳情或索取中文相關資料，請撥 1-800-893-9555





ELECTRIC TABLE OF CONTENTS

Sheet 1

TABLE OF CONTENTS

SCHEDULE	TITLE OF SHEET	CAL P.U.C. SHEET NO.	
	Title Page	31860-E	(T)
	Rate Schedules	31846, 31847, 31858, 31849 ,31850, 31851,31852, 31541, 31853-E	
	Preliminary Statements	31854,29900,30376,31855,31139,30846,31678-E	
	Rules	30402, 31609, 31153-E	
	Maps, Contracts and Deviations.....	29909-E	
	Sample Forms	30680*,31610,30372,31154,31611,31669,30513,30682,30833,30683,29920, 31861-E	(T)

(Continued)

Advice Letter No: 4089-E
 Decision No. 96-04-071

Issued by
Brian K. Cherry
 Vice President
 Regulatory Relations

Date Filed July 20, 2012
 Effective _____
 Resolution No. _____



**ELECTRIC TABLE OF CONTENTS
 SAMPLE FORMS**

Sheet 33

FORM	TITLE OF SHEET	CAL P.U.C. SHEET NO.
Sample Forms Operations Notices		
04-1558	Hazard Notice - Spanish	14263-E
04-1559	Hazard Notice - Hmong	14264-E
04-1560	Hazard Notice - Vietnamese	14265-E
04-1562	Hazard Notice - Cambodian.....	14266-E
04-1563	Hazard Notice - Chinese.....	14267-E
04-1564	Hazard Notice - Korean	14268-E
61-4406	Meter Reading Reminder - Postcard	14269-E
61-7126	Window Meter Card Reminder - Postcard	10860-E
62-1247	Notice of Planned Electric Service Interruption.....	10861-E
62-3005	Window Meter Card - Single Meter.....	10862-E
62-3006	Window Meter Card - Two Meters	10863-E
62-3010	Hazard Notice - English	14270-E
62-3531	Service Report.....	31859-E (T)

**PG&E Gas and Electric
Advice Filing List
General Order 96-B, Section IV**

AT&T	Defense Energy Support Center	NaturEner
Alcantar & Kahl LLP	Department of Water Resources	Norris & Wong Associates
Ameresco	Dept of General Services	North America Power Partners
Anderson & Poole	Douglass & Liddell	North Coast SolarResources
BART	Downey & Brand	Occidental Energy Marketing, Inc.
Barkovich & Yap, Inc.	Duke Energy	OnGrid Solar
Bartle Wells Associates	Economic Sciences Corporation	Praxair
Bloomberg	Ellison Schneider & Harris LLP	R. W. Beck & Associates
Bloomberg New Energy Finance	Foster Farms	RCS, Inc.
Boston Properties	G. A. Krause & Assoc.	SCD Energy Solutions
Braun Blaising McLaughlin, P.C.	GLJ Publications	SCE
Brookfield Renewable Power	GenOn Energy Inc.	SMUD
CA Bldg Industry Association	GenOn Energy, Inc.	SPURR
CLECA Law Office	Goodin, MacBride, Squeri, Schlotz & Ritchie	San Francisco Public Utilities Commission
CSC Energy Services	Green Power Institute	Seattle City Light
California Cotton Ginners & Growers Assn	Hanna & Morton	Sempra Utilities
California Energy Commission	Hitachi	Sierra Pacific Power Company
California League of Food Processors	In House Energy	Silicon Valley Power
California Public Utilities Commission	International Power Technology	Silo Energy LLC
Calpine	Intestate Gas Services, Inc.	Southern California Edison Company
Casner, Steve	Lawrence Berkeley National Lab	Spark Energy, L.P.
Cenergy Power	Los Angeles Dept of Water & Power	Sun Light & Power
Center for Biological Diversity	Luce, Forward, Hamilton & Scripps LLP	Sunrun Inc.
Chris, King	MAC Lighting Consulting	Sunshine Design
City of Palo Alto	MBMC, Inc.	Sutherland, Asbill & Brennan
City of Palo Alto Utilities	MRW & Associates	Tecogen, Inc.
City of San Jose	Manatt Phelps Phillips	Tiger Natural Gas, Inc.
City of Santa Rosa	Marin Energy Authority	TransCanada
Clean Energy Fuels	McKenzie & Associates	Turlock Irrigation District
Clean Power	Merced Irrigation District	United Cogen
Coast Economic Consulting	Modesto Irrigation District	Utility Cost Management
Commercial Energy	Morgan Stanley	Utility Specialists
Consumer Federation of California	Morrison & Foerster	Verizon
Crossborder Energy	Morrison & Foerster LLP	Wellhead Electric Company
Davis Wright Tremaine LLP	NLine Energy, Inc.	Western Manufactured Housing Communities Association (WMA)
Day Carter Murphy	NRG West	eMeter Corporation