

PACIFIC GAS AND ELECTRIC COMPANY
Wildfire Mitigations Plans Discovery 2026-2028
Data Response

PG&E Data Request No.:	SPD_013-Q001Supp01
PG&E File Name:	WMP-Discovery2026-2028_DR_SPD_013-Q001Supp01
Request Date:	August 11, 2025
Requester DR No.:	CONF-SPD-PGE-WMP2026-013
Requesting Party:	Safety Policy Division
Requester:	Edwin Schmitt
Date Sent:	August 14, 2025 Supp01: August 21, 2025

SUBJECT: WORK ORDER DATA (SPD-PGE-WMP2026-013)

QUESTION 001

The following questions relate to “WMP-Discovery2026-2028_DR_SPD_001-Q019Atch01.xlsx”:

- a. Outage ID (column Q) has values in Row 40776 to 40783 as “1.” Correct if necessary.
- b. There are many blanks in Column B. Of 106,425 values, 71,1151 are blank. Explain why the values are blank. Correct if necessary.
- c. Explain why 6680 rows in Column O are blank, “false” or “1” – correct if necessary.
- d. Add a new column to the data set which includes the Facility Damage Action (FDA) for each tag. If the tag has more than one FDA, each additional FDA should be added in a second column.
- e. Create a data set with the same data as the “WMP-Discovery2026-2028_DR_SPD_001- Q019Atch01.xlsx” (including the FDA information as requested in question 1d) but with Priority X data, including the FDAs.

ANSWER 001 SUPPLEMENTAL 001 SENT – AUGUST 21, 2025

- e. Please see attachment “WMP-Discovery2026-2028_DR_SPD_013-Q001Supp01Atch01.xlsx” for Priority X tag data in the same format as that provided in “WMP-Discovery2026-2028_DR_SPD_001- Q019Atch01.xlsx”.

ANSWER 001

- a. To be delivered on Thursday, August 28, 2025.
- b. The Asset Type column has been corrected. This omission was the result of inadvertent error and all notifications now have their asset type filled. Please see “WMP-Discovery2026-2028_DR_SPD_013-Q001Atch01.xlsx.”

- c. The Circuit ID column has been corrected. There are still 298 notifications with an unknown Circuit ID. This can occur when: (1) the equipment information for a notification is incorrect or missing; or (2) the circuit information for an equipment is missing. Please see "*WMP-Discovery2026-2028_DR_SPD_013-Q001Atch01.xlsx*."
- d. The FDA information is in columns [Primary_FDA] and [Additional_FDA_If_Applicable]. Please see "*WMP-Discovery2026-2028_DR_SPD_013-Q001Atch01.xlsx*."
- e. To be delivered on Thursday, August 28, 2025.