



U 39

**Pacific Gas and  
Electric Company®**

*Oakland, California*

Revised  
Cancelling Revised

Cal. P.U.C. Sheet No. 59711-E  
Cal. P.U.C. Sheet No. 57172-E

**Electric Sample Form No.79-1174-03F**  
Interconnection Application, Attachment F, Machine-Based Technology

Sheet 1

**Please Refer to Attached  
Sample Form**

(Continued)

Advice Decision	7618-E	Issued by <b>Shilpa Ramaiya</b> Vice President Regulatory Proceedings and Rates	Submitted Effective Resolution	June 6, 2025 July 9, 2025 E-5296
--------------------	--------	------------------------------------------------------------------------------------------	--------------------------------------	----------------------------------------



# INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

### **MACHINE-BASED TECHNOLOGY**

Please complete the following table for the specific generator technology indicated.

Instructions				
Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
Please indicate the number of each <b>“type” and quantity</b> of Generator being installed.  Be sure all Generators classified as one “type” are identical in all respects.  If only one type of Generator is to be used, only one column needs to be completed.				
A - Generator/Inverter Manufacturer Enter the brand name of the Generator.				
B - Generator/Inverter Model Enter the model name or number assigned by the manufacturer of the Generator.				
C - Generator/Inverter Software Version  If this Generator's control and or protective functions are dependent on a software program supplied by the manufacturer of the equipment, please provide the version or release number for the software that will be used.				
D - Is the Generator/Inverter certified?  Applicant has verified that all major solar system components are on the verified equipment list maintained by the California Energy Commission and other equipment, as determined by PG&E, has been verified by the customer as having safety certification from a nationally recognized testing laboratory.  See PG&E's Rule 21, Section L for additional information regarding Generator certification.  For Net Billing Customers all major solar system components shall comply with Electric Rule 21 Section L.2-L.4 and Section L.7	<input type="checkbox"/> Yes <input type="checkbox"/> No			

## INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

## MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
E – Anti-Islanding Detection Method  Please select an Anti-Islanding Detection Method				
Group 1 – Frequency Shift with continuous positive frequency feedback	Group 1 _____	Group 1 _____	Group 1 _____	Group 1 _____
Group 2A – Frequency Shift with discontinuous or stepped positive frequency feedback	Group 2A _____	Group 2A _____	Group 2A _____	Group 2A _____
Group 2B – Frequency Shift similar to Group 2A except with a dead zone around 60Hz	Group 2B _____	Group 2B _____	Group 2B _____	Group 2B _____
Group 2C – Frequency shift with unidirectional frequency feedback	Group 2C _____	Group 2C _____	Group 2C _____	Group 2C _____
Group 3 – Monitors change of impedance	Group 3 _____	Group 3 _____	Group 3 _____	Group 3 _____
Group 4 – Monitors shift at a harmonic frequency (multiple of the fundamental)	Group 4 _____	Group 4 _____	Group 4 _____	Group 4 _____
Group 5 – Passive methods like rate of change of frequency, vector shift	Group 5 _____	Group 5 _____	Group 5 _____	Group 5 _____
Group 6 – Produces negative sequence current and monitor voltage	Group 6 _____	Group 6 _____	Group 6 _____	Group 6 _____



# INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

### MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
F – Volt-Var Smart Inverter Setting <i>If proposing non-default inverter settings, please provide:</i>				
Power Factor Value	V1 _____	V2 _____	V3 _____	V4 _____
Inverter Power Factor	Q1 _____	Q2 _____	Q3 _____	Q4 _____
Volt-Var Voltage Values	V1 _____ Q1 _____	V2 _____ Q2 _____	V3 _____ Q3 _____	V4 _____ Q4 _____
Volt-Var Reactive Values				
Volt-Watt Real Power Values	P1 _____	P2 _____	P3 _____	P4 _____
G - Gross Nameplate Rating (kVA)  This is the capacity value normally supplied by the manufacturer and stamped on the Generator's nameplate.  This value is not required where the manufacturer provides only a kW rating. However, where both kVA and kW values are available, please indicate both.				
H - Operating Voltage  This value should be the voltage rating designated by the manufacturer and used in this Generating Facility.  Please indicate phase-to-phase voltages for 3-phase installations.  See PG&E's Rule 21, Section H.2.b. and Table H.1., for additional information.				
I - Power Factor Rating  This value should be the nominal power factor rating designated by the manufacturer for the Generator.  See PG&E's Rule 21, Section H.2.i. for additional information.				
J - PF Adjustment Range  Where the power factor of the Generator is adjustable, please indicate the maximum and minimum operating values.  See PG&E's Rule 21, Section H.2.i.				



# INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

### MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
<b>K - Wiring Configuration</b> Please indicate whether the Generator is a single-phase or three-phase device. See PG&E's Rule 21, Section H.3.				
<b>L - (MP) 3-Phase Winding Configuration (Choose One)</b> For three-phase generating units, please indicate the configuration of the Generator's windings or inverter systems.	<input type="checkbox"/> 3 Wire Delta <input type="checkbox"/> 3 Wire Wye <input type="checkbox"/> 4 Wire Wye	<input type="checkbox"/> 3 Wire Delta <input type="checkbox"/> 3 Wire Wye <input type="checkbox"/> 4 Wire Wye	<input type="checkbox"/> 3 Wire Delta <input type="checkbox"/> 3 Wire Wye <input type="checkbox"/> 4 Wire Wye	<input type="checkbox"/> 3 Wire Delta <input type="checkbox"/> 3 Wire Wye <input type="checkbox"/> 4 Wire Wye
<b>M - (MP) Neutral Grounding System Used (Choose One)</b> Wye connected generating units are often grounded – either through a resistor or directly, depending upon the nature of the electrical system to which the Generator is connected. If the grounding method used at this facility is not listed, please attach additional descriptive information.	<input type="checkbox"/> Ungrounded <input type="checkbox"/> Solidly Grounded <input type="checkbox"/> Ground Resistor <input type="checkbox"/> Ohms	<input type="checkbox"/> Ungrounded <input type="checkbox"/> Solidly Grounded <input type="checkbox"/> Ground Resistor <input type="checkbox"/> Ohms	<input type="checkbox"/> Ungrounded <input type="checkbox"/> Solidly Grounded <input type="checkbox"/> Ground Resistor <input type="checkbox"/> Ohms	<input type="checkbox"/> Ungrounded <input type="checkbox"/> Solidly Grounded <input type="checkbox"/> Ground Resistor <input type="checkbox"/> Ohms
<b>N – Synchronous Generators Only:</b> If the Generator is of a synchronous design, please provide the synchronous reactance, transient reactance, and subtransient reactance values supplied by the manufacturer. This information is necessary to determine the short circuit contribution of the Generator and as data in load flow and short circuit computer models of PG&E's Electric System. If the Generator's Gross Nameplate Capacity is 10 MW or greater, PG&E may request additional data to better model the nature and behavior of the Generator with relation to its Electric System. Synchronous Reactance: _____ (Xd %) Transient Reactance: _____ (Xd %) Subtransient Reactance: _____ (Xd %)				

# INTERCONNECTION APPLICATION (Form 79-1174-03)



## ATTACHMENT F

### MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
<p><b>O - Induction Generators Only:</b></p> <p>Locked Rotor Current:</p> <p style="text-align: center;"><b>Stator Resistance:</b></p> <p>Stator Leakage Reactance:</p> <p>Rotor Resistance:</p> <p>Rotor Leakage Reactance:</p> <p>If the Generator is of an induction design, please provide the "locked rotor current" value supplied by the manufacturer.</p> <p>If this value is not available, the stator resistance, stator leakage reactance, rotor resistance, rotor leakage reactance values supplied by the manufacturer may be used to determine the locked rotor current.</p> <p>If the Generator's Gross Nameplate Capacity is 10 MW or greater, PG&amp;E may request additional data to better model the nature and behavior of the Generator with relation to its Electric System.</p>	<p>(Amps)</p> <p>(%)</p> <p>(%)</p> <p>(%)</p> <p>(%)</p>			
<p><b>P - Short Circuit Current Produced by Generator:</b></p>	<p>_____</p> <p>(Amps)</p>	<p>_____</p> <p>(Amps)</p>	<p>_____</p> <p>(Amps)</p>	<p>_____</p> <p>(Amps)</p>
<p><b>Q – For Generators that are Started as a "Motor" Only:</b> This information is needed only for Generators that are started by "motoring" the generator.</p> <p>See PG&amp;E's Rule 21, Sections L.3.d. and L.7.b. for significance and additional information.</p> <p>If this question was answered in Part IV, question C of this Application, it need not be answered here.</p> <p>1. In-Rush Current:</p> <p>2. Host Customer's Service Entrance Panel (Main Panel) Continuous Current Rating:</p>	<p>(Amps)</p> <p>(Amps)</p>	<p>(Amps)</p> <p>(Amps)</p>	<p>(Amps)</p> <p>(Amps)</p>	<p>(Amps)</p> <p>(Amps)</p>
<p><b>R – Prime Mover Type</b></p> <p>Please indicate the type and fuel used as the prime mover or source of energy for the Generator.</p> <p>1 = Natural Gas 2 = Diesel Fueled 3 = Other Fuel</p>	<p>1 2 3</p>	<p>1 2 3</p>	<p>1 2 3</p>	<p>1 2 3</p>



# INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

### MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
<p><b>S - AC Disconnect</b></p> <p>For systems requiring an AC Disconnect only, please include the requested information about the AC Disconnect.</p> <p>See PG&amp;E's Rule 21, Section H.1.d</p> <p>Located within 10 feet of the PG&amp;E meter?</p>	<p>Manufacturer</p> <p>Model #</p> <p>Rating (amps)</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Manufacturer</p> <p>Model #</p> <p>Rating (amps)</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Manufacturer</p> <p>Model #</p> <p>Rating (amps)</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>	<p>Manufacturer</p> <p>Model #</p> <p>Rating (amps)</p> <p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>
<p><b>T - Lineside Tap</b></p> <p>Where is the point of interconnection in relation to the main breaker?</p> <p>PG&amp;E has special requirements for a lineside tap.</p> <p>Contact PG&amp;E at: <a href="mailto:Rule21Gen@PGE.com">Rule21Gen@PGE.com</a> for more information.</p>	<p>Customer side <input type="checkbox"/> PG&amp;E side</p>			
<p><b>U - Warranty or Service Agreement</b></p> <p>Applicant has verified that (i) a warranty of at least 10 years has been provided on all equipment and on its installation, or (ii) have a 10-year service warranty or executed "agreement" ensuring proper maintenance and continued system performance.</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>			
<p><b>V - Cogeneration</b></p> <p>Please indicate whether this Generating Facility meets the definition of cogeneration in PUC 216.6 (5% useful thermal and 42.5% efficient):</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>			
<p><b>W - Distribution Interconnect Handbook (DIH) and Greenbook Requirements</b></p> <p>Does this interconnection meet the DIH and Greenbook Requirements</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>			
<p><b>X - Gas Clearance Requirements</b></p> <p>Certify that this interconnection meets Greenbook Gas Clearance Requirements?</p>	<p><input type="checkbox"/> Yes <input type="checkbox"/> No</p>			

## INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

## MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
<p>Y - Back-up Generator Operation</p> <p>Will the generator be operated as a back-up?</p> <p>If yes, please indicate control device.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Automatic Transfer Switch <input type="checkbox"/> Contactor <input type="checkbox"/> Breaker	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Automatic Transfer Switch <input type="checkbox"/> Contactor <input type="checkbox"/> Breaker	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Automatic Transfer Switch <input type="checkbox"/> Contactor <input type="checkbox"/> Breaker	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Automatic Transfer Switch <input type="checkbox"/> Contactor <input type="checkbox"/> Breaker
<p>Z - Limited Export</p> <p>Will the generator export be limited?</p> <p>If yes, please indicate how export will be limited.</p>	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Power Control System (PCS – Option 9) <input type="checkbox"/> Relay <input type="checkbox"/> Derated Inverter	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Power Control System (PCS – Option 9) <input type="checkbox"/> Relay <input type="checkbox"/> Derated Inverter	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Power Control System (PCS – Option 9) <input type="checkbox"/> Relay <input type="checkbox"/> Derated Inverter	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Power Control System (PCS – Option 9) <input type="checkbox"/> Relay <input type="checkbox"/> Derated Inverter
<p>AA – PCS with Limited Generation Profile</p> <p>If project is using a Limited Generation Profile</p> <p>Select the proposed PCS make/model:</p> <p>If equipment is not listed in Distribution Provider's list of certified PCS, upload UL3141 certificates of compliance from the NRTL identifying that the proposed PCS has been certified under UL3141 with PEL:</p> <p>Indicate the PCS's controlled nameplate capacity (as provided in the NRTL testing reports)</p> <p>Indicate the PCS's Maximum Steady State percentage (as provided in the NRTL testing reports)</p>	<input type="checkbox"/> (Select from Utility's UL3141 PEL PCS approved list)			
	_____ kW	_____ kW	_____ kW	_____ kW
	_____ %	_____ %	_____ %	_____ %



# INTERCONNECTION APPLICATION (Form 79-1174-03)

## ATTACHMENT F

### MACHINE-BASED TECHNOLOGY

Generator Information	Existing Generator type 1	Existing Generator type 2	New Generator type 1	New Generator type 2
AB - Telemetry  Will the Generating Facility Gross Nameplate Rating exceed 1 MW?  If yes, please select a Telemetry Option.  If one of the Customer-owned Telemetry options is selected, please identify the preferred Site Metering Arrangement.	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Customer-owned Telemetry - Gateway <input type="checkbox"/> Customer-owned Telemetry - Aggregator <input type="checkbox"/> Mini RTU	<input type="checkbox"/> Customer-side net load metering <input type="checkbox"/> Replace PG&E meter with a Mark V meter and terminal block <input type="checkbox"/> Add terminal block to existing PG&E Mark V meter <input type="checkbox"/> Replace meter socket with dual-socket meter cabinet for installation of customer-owned meter <input type="checkbox"/> Install customer-owned meter in existing dual socket meter cabinet.	