

Revised Cancelling Original

Cal. P.U.C. Sheet No. Cal. P.U.C. Sheet No. 59713-E 55493-E

Electric Sample Form No. 79-1174-03H

Sheet 1

Interconnection Application, Attachment H, Energy Storage Technology

Please Refer to Attached Sample Form



### **ENERGY STORAGE TECHNOLOGY**

Please complete the following table for the specific generator technology indicated.

| Instructions  |                                 |                                 |                            |                            |
|---|---------------------------------|---------------------------------|----------------------------|----------------------------|
| Generator Information   | Existing<br>Generator<br>type 1 | Existing<br>Generator<br>type 2 | New<br>Generator<br>type 1 | New<br>Generator<br>type 2 |
| Please indicate the number of each "type" and quantity of Generator being installed.  |                                 |                                 |                            |                            |
| Be sure all Generators classified as one "type" are identical in all respects.  |                                 |                                 |                            |                            |
| If only one type of Generator is to be used, only one column needs to be completed.   |                                 |                                 |                            |                            |
| A - Generator/Inverter Manufacturer   |                                 |                                 |                            |                            |
| Enter the brand name of the Generator.  |                                 |                                 |                            |                            |
| B - Generator/Inverter Model  |                                 |                                 |                            |                            |
| Enter the model name or number assigned by the manufacturer of the Generator.   |                                 |                                 |                            |                            |
| C - Generator/Inverter Software Version   |                                 |                                 |                            |                            |
| If this Generator's control and or protective functions are dependent on a software program supplied by the manufacturer of the equipment, please provide the version or release number for the software that will be used.   |                                 |                                 |                            |                            |
| D - Is the Generator/Inverter certified?  |                                 |                                 |                            |                            |
| Applicant has verified that all major solar system components are on the verified equipment list maintained by the California Energy Commission and other equipment, as determined by PG&E, has been verified by the customer as having safety certification from a nationally recognized testing laboratory. | Yes<br>No                       | Yes<br>No                       | Yes<br>No                  | Yes<br>No                  |
| See PG&E's Rule 21, Section L for additional information regarding Generator certification.   |                                 |                                 |                            |                            |
| For Net Billing Customers all major solar system components shall comply with Electric Rule 21 Section L.2-L.4 and Section L.7  |                                 |                                 |                            |                            |



| Generator Information  | Existing<br>Generator<br>type 1 | Existing<br>Generator<br>type 2 | New<br>Generator<br>type 1 | New<br>Generator<br>type 2 |
|--|---------------------------------|---------------------------------|----------------------------|----------------------------|
| E – Anti-Islanding Detection Method  |                                 |                                 |                            | ,1                         |
| Please select an Anti-Islanding Detection Method   |                                 |                                 |                            |                            |
| Group 1 – Frequency Shift with continuous positive frequency feedback                    | Group 1                         | Group 1                         | Group 1                    | Group 1                    |
| Group 2A – Frequency Shift with discontinuous or stepped positive frequency feedback     | Group 2A                        | Group 2A                        | Group 2A                   | Group 2A                   |
| Group 2B – Frequency Shift similar to<br>Group 2A except with a dead zone<br>around 60Hz | Group 2B                        | Group 2B                        | Group 2B                   | Group 2B                   |
| Group 2C – Frequency shift with unidirectional frequency feedback                        | Group 2C                        | Group 2C                        | Group 2C                   | Group 2C                   |
| Group 3 – Monitors change of impedance   | Group 3                         | Group 3                         | Group 3                    | Group 3                    |
| Group 4 – Monitors shift at a harmonic frequency (multiple of the                        | Group 4                         | Group 4                         | Group 4                    | Group 4                    |
| fundamental)  Group 5 – Passive methods like rate of change of frequency, vector shift   | Group 5                         | Group 5                         | Group 5                    | Group 5                    |
| Group 6 – Produces negative sequence current and monitor voltage                         | Group 6                         | Group 6                         | Group 6                    | Group 6                    |
| F –Volt-Var Smart Inverter Setting   |                                 |                                 |                            |                            |
| If proposing non-default inverter settings, please provide:                              | .,,                             |                                 |                            | .,,                        |
| Power Factor Value   | V1                              | V2                              | V3                         | V4                         |
| Inverter Power Factor  | Q1                              | Q2                              | Q3                         | Q4                         |
| Volt-Var Voltage Values  | V1<br>Q1                        | V2<br>Q2                        | V3<br>Q3                   | V4<br>Q4                   |
| Volt-Var Reactive Values   | P1                              | P2                              | P3                         | P4                         |
| Volt-Watt Real Power Values  |                                 |                                 |                            |                            |
|  |                                 |                                 |                            |                            |
|  |                                 |                                 |                            |                            |
|  |                                 |                                 |                            |                            |



| Generator Information   | Existing<br>Generator | Existing<br>Generator | New<br>Generator | New<br>Generator |
|---|-----------------------|-----------------------|------------------|------------------|
| O. Oan anatan Danism  | type 1                | type 2                | type 1           | type 2           |
| G - Generator Design  | Synch                 | Synch                 | Synch            | Synch            |
| Please indicate the design of each Generator.   | Gyrion                | Gynon                 | Gynon            | Gynon            |
| Designate "Inverter" anytime an inverter is   | Induct.               | Induct.               | Induct.          | Induct.          |
| used as the interface between the Generator and the electric system regardless of the | Inverter              | Inverter              | Inverter         | Inverter         |
| primary power production/storage device used.   |                       |                       |                  |                  |
| H - Gross Nameplate Rating (kVA)  |                       |                       |                  |                  |
|   |                       |                       |                  |                  |
| This is the capacity value normally supplied by the manufacturer and stamped on the   |                       |                       |                  |                  |
| Generator's nameplate.  |                       |                       |                  |                  |
| This value is not required where the  |                       |                       |                  |                  |
| manufacturer provides only a kW rating.<br>However, where both kVA and kW values are  |                       |                       |                  |                  |
| available, please indicate both.  |                       |                       |                  |                  |
|   | Max kWh               | Max kWh               | Max kWh          | Max kWh          |
| I - Energy Storage Electrical Source Function (in addition, please complete section:  | Capacity:             | Capacity:             | Capacity:        | Capacity:        |
| "Additional Information Required for Energy   |                       |                       |                  |                  |
| Storage")   | Rated kW              | Rated kW              | Rated kW         | Rated kW         |
|   | Discharge:            | Discharge:            | Discharge:       | Discharge:       |
|   |                       |                       |                  |                  |
|   |                       |                       |                  |                  |
| J - Operating Voltage   |                       |                       |                  |                  |
| This value should be the voltage rating   |                       |                       |                  |                  |
| designated by the manufacturer and used in this Generating Facility.                  |                       |                       |                  |                  |
| Please indicate phase-to-phase voltages for 3-  |                       |                       |                  |                  |
| phase installations.  |                       |                       |                  |                  |
| See PG&E's Rule 21, Section H.2.b. and Table  |                       |                       |                  |                  |
| H.1., for additional information.   |                       |                       |                  |                  |
| K - Power Factor Rating   |                       |                       |                  |                  |
| This value should be the nominal power factor   |                       |                       |                  |                  |
| rating designated by the manufacturer for the Generator.                              |                       |                       |                  |                  |
| See PG&E's Rule 21, Section H.2.i. for  |                       |                       |                  |                  |
| additional information.   |                       |                       |                  |                  |
| L - PF Adjustment Range   |                       |                       |                  |                  |
| Where the power factor of the Generator is  |                       |                       |                  |                  |
| adjustable, please indicate the maximum and minimum operating values.                 |                       |                       |                  |                  |
| See PG&E's Rule 21, Section H.2.i.  |                       |                       |                  |                  |



| Generator Information  | Existing<br>Generator<br>type 1                          | Existing<br>Generator<br>type 2                          | New<br>Generator<br>type 1                               | New<br>Generator<br>type 2                               |
|--|--|--|--|--|
| M - Wiring Configuration  Please indicate whether the Generator is a single-phase or three-phase device. See PG&E's Rule 21, Section H.3.  N - (MP) 3-Phase Winding Configuration (Choose One)  For three-phase generating units, please indicate the configuration of the Generator's   | 3 Wire Delta<br>3 Wire Wye<br>4 Wire Wye                 | 3 Wire Delta<br>3 Wire Wye<br>4 Wire Wye                 | 3 Wire Delta<br>3 Wire Wye<br>4 Wire Wye                 | 3 Wire Delta3 Wire Wye 4 Wire Wye                        |
| windings or inverter systems.  O - (MP) Neutral Grounding System Used (Choose One)  Wye connected generating units are often grounded – either through a resistor or directly, depending upon the nature of the electrical system to which the Generator is connected.  If the grounding method used at this facility is not listed, please attach additional descriptive information. | Ungrounded Solidly     Grounded Ground     Resistor Ohms |
| P - Short Circuit Current Produced by Generator:   | (Amps)   | (Amps)   | (Amps)   | (Amps)   |
| Q – Prime Mover Type  Please indicate the type and fuel used as the prime mover or source of energy for the Generator.  1 = Natural Gas 2 = Diesel Fueled 3 = Other Fuel   | 1 2 3  | 1 2 3  | 1 2 3  | 1 2 3  |



| Generator Information  | Existing<br>Generator<br>type 1 | Existing<br>Generator<br>type 2 | New<br>Generator<br>type 1 | New<br>Generator<br>type 2 |
|--|---------------------------------|---------------------------------|----------------------------|----------------------------|
| R - AC Disconnect  |                                 |                                 |                            |                            |
| For systems requiring an AC Disconnect only, please include the requested information about the AC Disconnect.   | Manufacturer                    | Manufacturer                    | Manufacturer               | Manufacturer               |
| See PG&E's Rule 21, Section H.1.d  | Model #                         | Model #                         | Model #                    | Model #                    |
|  | Rating (amps)                   | Rating (amps)                   | Rating (amps)              | Rating (amps)              |
| Located within 10 feet of the PG&E meter?  | Yes<br>No                       | Yes<br>No                       | Yes<br>No                  | Yes<br>No                  |
| S - Energy Storage (ES) System   |                                 |                                 |                            |                            |
| (For important sizing information related to DC-Coupled configurations, see sizing note below).  | Manufacturer                    | Manufacturer                    | Manufacturer               | Manufacturer               |
|  | Model #                         | Model #                         | Model #                    | Model #                    |
|  | Quantity of Units               | Quantity of Units               | Quantity of Units          | Quantity of Units          |
| T - Lineside Tap   |                                 |                                 |                            |                            |
| Where is the point of interconnection in relation to the main breaker?   | Customer<br>side                | Customer<br>side                | Customer<br>side           | Customer<br>side           |
| PG&E has special requirements for a lineside tap.  | PG&E                            | PG&E                            | PG&E<br>side               | PG&E                       |
| Contact PG&E at: Rule21Gen@PGE.com   | side                            | side                            | side                       | side                       |
| for more information.  |                                 |                                 |                            |                            |
| U – Warranty or Service Agreement Applicant has verified that (i) a warranty of at   | Yes                             | Yes                             | Yes                        | Yes                        |
| least 10 years has been provided on all equipment and on its installation, or (ii) have a 10-year service warranty or executed "agreement" ensuring proper maintenance and continued system performance. | No                              | No                              | No                         | No                         |
| V - Distribution Interconnect Handbook (DIH) and Greenbook Requirements  | Yes                             | Yes                             | Yes                        | Yes                        |
| Does this interconnection meet the DIH and Greenbook Requirements  | No                              | No                              | No                         | No                         |
| W - Gas Clearance Requirements   | Yes                             | Yes                             | Yes                        | Yes                        |
| Certify that this interconnection meets Greenbook Gas Clearance Requirements?  | No                              | No                              | No                         | No                         |



| Generator Information   | Existing  | Existing  | New   | New   |
|---|---|---|---|---|
|   | Generator   | Generator   | Generator   | Generator   |
|   | type 1  | type 2  | type 1  | type 2  |
| X - Basic Single Line Diagram (SLD)  If the interconnection is eligible to use a Basic SLD, please include the requested information. | Panel Voltage                                     | Panel Voltage                                     | Panel Voltage                                     | Panel Voltage                                     |
|   | (Volts)   | (Volts)   | (Volts)   | (Volts)   |
|   | Main Breaker                                      | Main Breaker                                      | Main Breaker                                      | Main Breaker                                      |
|   | (Amps)  | (Amps)  | (Amps)  | (Amps)  |
|   | Storage   | Storage   | Storage   | Storage   |
|   | Breaker Size                                      | Breaker Size                                      | Breaker Size                                      | Breaker Size                                      |
|   | (Amps)  | (Amps)  | (Amps)  | (Amps)  |
| Can this system be used as a back-up generator?   | Yes   | Yes   | Yes   | Yes   |
|   | No  | No  | No  | No  |
| If so, please include the requested information for the back-up controller or other device.   | Manufacturer                                      | Manufacturer                                      | Manufacturer                                      | Manufacturer                                      |
|   | Make  | Make  | Make  | Make  |
|   | Model No.   | Model No.   | Model No.   | Model No.   |
| Y - Back-up Generator Operation Will the generator be operated as a back-up?  | Yes   | Yes   | Yes   | Yes   |
|   | No  | No  | No  | No  |
| If yes, please indicate control device.   | □ Automatic Transfer Switch □ Contactor □ Breaker | ☐ Automatic Transfer Switch ☐ Contactor ☐ Breaker | ☐ Automatic Transfer Switch ☐ Contactor ☐ Breaker | ☐ Automatic Transfer Switch ☐ Contactor ☐ Breaker |
| Z - Limited Export  | Yes   | Yes   | Yes   | Yes   |
| Will the generator export be limited?   | No  | No  | No  | No  |
| If yes, please indicate how export will be limited.   | ☐ Power   | ☐ Power   | ☐ Power   | ☐ Power   |
|   | Control   | Control   | Control   | Control   |
|   | System  | System  | System  | System  |
|   | (PCS –  | (PCS –  | (PCS –  | (PCS –  |
|   | Option 9)   | Option 9)   | Option 9)   | Option 9)   |
|   | □ Relay   | □ Relay   | ☐ Relay   | □ Relay   |
|   | ☐ Derated   | ☐ Derated   | ☐ Derated   | ☐ Derated   |
|   | Inverter  | Inverter  | Inverter  | Inverter  |



| Generator Information   | Existing<br>Generator<br>type 1                      | Existing<br>Generator<br>type 2  | New<br>Generator<br>type 1   | New<br>Generator<br>type 2                           |
|---|--|--|--|--|
| W – PCS with Limited Generation Profile  If project is using a Limited Generation Profile  Select the proposed PCS make/model:  If equipment is not listed in Distribution Provider's list of certified PCS, upload UL3141 certificates of compliance from the NRTL identifying that the proposed PCS has been certified under UL3141 with PEL: | (Select from Utility's UL3141 PEL PCS approved list) | (Select from Utility's UL3141 PEL PCS approved list)   | (Select<br>from Utility's<br>UL3141 PEL<br>PCS approved<br>list)         | (Select from Utility's UL3141 PEL PCS approved list) |
| Indicate the PCS's controlled nameplate capacity (as provided in the NRTL testing reports)  | kW   | kW   | kW   | kW   |
| Indicate the PCS's Maximum Steady State percentage (as provided in the NRTL testing reports)  | %  | %  | <del>%</del>   | %  |
| AB - Telemetry Will the Generating Facility Gross Nameplate Rating exceed 1 MW?   | Yes<br>No  |  |  |  |
| If yes, please select a Telemetry Option.   |  | ner-owned Telemetr<br>ner-owned Telemetr   | -  |  |
| If one of the Customer-owned Telemetry options is selected, please identify the preferred Site Metering Arrangement.  | Replace Add tel Replace Replace Installa             | ner-side net load mee PG&E meter with memorial block to exist the meter socket with tion of customer-over customer-owned meet. | a Mark V meter a<br>ting PG&E Mark V<br>n dual-socket mete<br>vned meter | meter<br>r cabinet for                               |



| Generator Information  | Existing<br>Generator<br>type 1 | Existing<br>Generator<br>type 2 | New<br>Generator<br>type 1 | New<br>Generator<br>type 2 |
|--|---------------------------------|---------------------------------|----------------------------|----------------------------|
| AC - Vehicle to Grid   | EVSE                            | EVSE                            | EVSE                       | EVSE                       |
| Will the inverter be located in the Electric Vehicle Supply Equipment (EVSE) or in the Electric Vehicle (EV) itself? | EV                              | EV                              | EV                         | EV                         |
| If for the V2G AC Pilot, the EV includes the inverter, please provide EV details.                                    | EV Make                         | EV Make                         | EV Make                    | EV Make                    |
| inverter, please provide EV details.   | EV Model                        | EV Model                        | EV Model                   | EV Model                   |
|  | EV Year                         | EV Year                         | EV Year                    | EV Year                    |
| If inverter is in the EVSE, please provide EVSE model manufacture year.  | EVSE Model<br>Year              | EVSE Model<br>Year              | EVSE Model<br>Year         | EVSE Model<br>Year         |
| If inverter is in the EVSE, is the EVSE newly installed?   | Yes<br>No                       | Yes<br>No                       | Yes<br>No                  | Yes<br>No                  |
| If inverter is in the EVSE, will the Generator participate in the Emergency Load Reduction Program (ELRP)?           | Yes<br>No                       | Yes<br>No                       | Yes<br>No                  | Yes<br>No                  |
| If yes, please provide ELRP Application Number.  | Application #                   | Application #                   | Application #              | Application #              |

| Energy  | y Storage Charging Function:   |           |  |
|---|--|-----------|--|
| Rated (   | Charge Demand (Load): kW   |           |  |
| Estimat   | ted annual Net Energy Usage* of the energy storage device(s): kWh  |           |  |
| *Net Ene  | ergy usage = (kWh input, including charging, storage device auxiliary loads and losses) – (kWh output including discharging) |           |  |
| Will the  | e Distribution Grid be used to charge the storage device:  |           |  |
| If no:  | Provide technical description of control systems including (e.g. Nationally-certified piece of equipmer Relays/metering):    | nt,       |  |
|   | Source of energy for Charging:   |           |  |
|   | Mechanism to prevent charging from the Distribution System:  |           |  |
| If Yes: Will charging the storage device(s) increase the host facility's existing peak load demand: |  |           |  |
|   | □ Yes □ No   |           |  |
|   | If Yes: Provide the following loading information:   |           |  |
|   | Amount of added peak demand:   | <u>kW</u> |  |



| If no:   | Provide technical description of controls systems including:  |  |  |
|--|---|--|--|
|  | Charging periods:   |  |  |
|  | Mechanism to prevent charging from the Distribution System during host facility peak:   |  |  |
|  |   |  |  |
|  |   |  |  |
|  |   |  |  |
| <b>Expedited Inte</b>  | erconnection Process Selection for Non-Export Energy Storage:   |  |  |
|  | t meets the requirements identified in Rule 21 Section N and this process is being selected for nterconnection.   |  |  |
|  |   |  |  |
| Note on Sizing   | (DC-Coupled Configurations)   |  |  |
| lesser of the sh<br>(devices') max<br>technical speci<br>technical speci<br>whether a devi | e storage system in DC-coupled NEM/NEM2/NBT-eligible generator plus storage systems is the nared inverter's (or inverters') nameplate capacity (capacities summed) and the storage device's imum continuous discharge capacity (capacities summed) listed on the device's (devices') fications sheets. A storage device's maximum continuous discharge capacity may be listed on fication sheets using different terminology. Note: PG&E will use common sense to determine ice's technical specification sheet includes the appropriate metric for purposes of determining gardless of the terminology used. If that metric is not included, PG&E may rely on the inverter's ng. |  |  |
| For example:   |   |  |  |
| <ul> <li>What is</li> </ul>  | s the maximum continuous discharge capability for each storage unit?  |  |  |
| \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\   | + =. total = total s each inverter's nameplate rating?  |  |  |
|  | =. total  |  |  |